

دانشگاه علوم پرشکی و خدمات بهداشتی درمانی کرمانشاه



ارائه دهنده: پروین باقری گروه کتابدار بالینی دانشگاه علوم پزشکی کرمانشاه ۱۳۹۸

### مقدمه

- ✓ UpToDate یک منبع منحصر به فرد برای پزشکان و بیماران است.
- √پایگاهی جامع و بروز است که دربرگیرنده منابع اطلاعاتی بازبینی شده و مبتنی بر شواهد پزشکی است.
  - √این پایگاه در حقیقت یک سیستم پشتیبان تصمیم گیری بالینی است که به متخصصین بالینی سراسر جهان کمک می کند تا در مورد تشخیص، درمان و مراقبت از بیمار بهترین تصمیم را بگیرند.

## **UpToDate** به عنوان یک جامعه بالینی در سراسر جهان

- ✓ UpToDate بزرگترین جامعه بالینی در جهان است که به سنتز دانش برای پزشکان و بیماران اختصاص یافته است.
  - √ بیش از یک میلیون پزشک از ۱۸۰ کشور و ۳۲۰۰۰ سازمان در دنیا برای سیستم حمایتی تصمیم سازی بالینی خود از Up to Date استفاده می کنند.
    - √مطالب Up to Date توسط ۶۳۰۰ پزشک، سر دبیر و داور از سراسر جهان تهیه می شود

## به روز رسانی جامع و جاری است و شما را از آخرین یافته های بالینی آگاه می کند.

- ✓ UpToDate بیش از ۸٬۳۰۰ موضوع را در ۱۶ تخصص پزشکی پوشش می دهد
- √شامل بیش از ۹۷٬۰۰۰ صفحه متن ، به علاوه گرافیک ، پیوندهایی به خلاصه Medlineبیش از ۳۸۵٬۰۰۰ مرجع
  - √بانك اطلاعاتي دارو
- √نسخه به روز شده UpToDate هر چهار ماه منتشر می شود.

## دسترسی در سایت کتابخانه مرکزی:






#### Local Resources




### عبارت جستجوی شما می تواند نام بیماری ، علائم بیماری ، اختلالات آزمایشگاهی ، نام دارو و رده های دارویی باشد.



Search UpToDate

## پیشنهادهای جستجو



venopathy; Benign intrahepatic portal hypertension; Idiopathic presinusoidal portal hypertension; Partial ...

Etiology

### محدود كردن نتايج جستجو

**UpToDate**°

portal hypertension

Q

Contents V Calculators Drug Interactions

### Showing results for portal hypertension



Adult Pediatric

Patient

**Graphics** 

#### Portal hypertension in adults

...diagnosis of portal hypertension in adults. The causes of portal hypertension and the treatment of its complications are discussed in detail elsewhere: Portal hypertension develops when ...

**Treatment** 

Clinical manifestations

Summary and recommendations

#### Noncirrhotic portal hypertension

...Idiopathic portal hypertension; Hepatoportal sclerosis; Incomplete septal cirrhosis; Obliterative portal venopathy; Benign intrahepatic portal hypertension; Idiopathic presinusoidal portal hypertension; Partial ...

**Etiology** 

# با نگه داشتن موس روی هر کدام ازعناوین می توان در پنجره Topic . outline هر یک از اطلاعات جزئی تر را مشاهده کرد

Contents v **Calculators Drug Interactions** Register Showing results for portal hypertension Adult Pediatric **Patient** Graphics **Topic Outline** show graphics (8) Portal hypertension in adults ...diagnosis of portal hypertension in adults. The causes of portal hypertension and the treatment of its SUMMARY & RECOMMENDATIONS complications are discussed in detail elsewhere: Portal hypertension develops when ... Treatment INTRODUCTION Clinical manifestations **Summary and recommendations ETIOLOGY** Prehepatic and posthepatic causes Noncirrhotic portal hypertension ...Idiopathic portal hypertension; Hepatoportal sclerosis; Incomplete septal cirrhosis; Obliterative portal Intrahepatic causes venopathy; Benign intrahepatic portal hypertension; Idiopathic presinusoidal portal hypertension; Partial ... Presinusoidal causes Etiology **Differential diagnosis** Sinusoidal causes **Summary and recommendations** Postsinusoidal causes

SCHISTOSOMIASIS


**Pathophysiology** 

...and ultimately ascites in patients with cirrhosis is the development of portal hypertension. Patients without portal hypertension do not develop ascites or edema. Those with ascites have several circulatory ...


Cirrhosis in adults: Overview of complications, general management, and

prognosis

## مشاهده خلاصه متن



## بازگشت به صفحه نتایج



## جستجوي گرافيك

- ✓ UpToDate اجازه می دهد که گرافیک و موضوعات مرتبط با آن را جستجو نمایید.
- √گرافیک ها شامل: عکس، جداول، تصاویر، نمودارها، الگوریتم و فیلم می باشد.
- √جستجوی محتوای گرافیکی: پس از وارد کردن کلید واژه مورد نظر، از منوی نوار جستجو گزینه گرافیک را انتخاب کنید

## جستجوي گرافیک



portal hypertension

Q

#### Contents V Calculators Drug Interactions

#### Showing results for portal hypertension


\_

All Adult Pediatric Patient Graphics

Memodynamic measurement	Site of resistance to portal blood flow		
	Pro- sinusidad	Sincolifed	Peet- chevolidat
PA/P	Some	Normal	Increased
and#	Normal or signers increased	Invested	Increased
HATO" (MAIF - THAT)	Normal or sightly increased	Prinseed	Normal

Hemodynamic measurements in patients with intrahepatic

Manage Support	(percent)
Francis William Fallening Proches unto	10.100*
marting horizon aren manatonio et anteriore	201 (100)
Ministrator Marrier marter	-
Amenda Street Amenda in Novi Street	-
Million of Million	-
less party firms and party server debusines	-
harding library of internations less done	201
total villageration	41
Nation National of Assessment	20.00




Idiopathic noncirrhotic portal hypertension




Classification of noncirrhotic portal hypertension





Idiopathic noncirrhotic portal hypertension (NCPH)





Idiopathic noncirrhotic portal hypertension




### جهت دیدن هر عکس ،روی آیتم مورد نظر کلیک می کنیم


### Export to Powerpoint Full View Feedback

© 2019 UpToDate, Inc. and/or its affiliates. All Rights Reserved.


### Idiopathic noncirrhotic portal hypertension (NCPH)




## گرفتن خروجی از تصویر در پاورپوینت



### فهرست موضوعاتی که در این گرافیک آمده است



## Calculators:جدول هایی برای محاسبه موارد مختلف در موضوعات پزشکی



#### ALLERGY AND IMMUNOLOGY CALCULATORS

Clinical Criteria

Temperature unit conversions

Weight unit conversions

### What is new?


√این بخش موارد اضافی به UpToDate را از شش ماه گذشته نشان می دهد که توسط ویراستاران و نویسندگان مورد توجه ویژه قرار گرفته است.

√جدید ترین مطالب جدید در صدر هر زیر بخش است.

## چه چیز جدیدی است ؟



portal hypertension Q



#### Noncirrhotic portal hypertension

...Idiopathic portal hypertension; Hepatoportal sclerosis; Incomplete septal cirrhosis; Obliterative portal venopathy; Benign intrahepatic portal hypertension; Idiopathic presinusoidal portal hypertension; Partial ...

#### Etiology

## **Practice Changing Updates**

- √این بخش توصیه های خاص و جدید و بروزرسانی شده در خصوص عملکردهای بالینی را مورد تأکید قرار می دهد.
- √بیشتر روی تغییراتی که می تواند تأثیرات قابل توجه و گسترده ای در عملکرد داشته باشد تمرکز دارد.
  - √منعكس كننده مهم ترين تغييرات طي يكسال گذشته است.
  - √ توصیه های جدید، رژیم درمانی جدید را برای بیماران در محدوده سنی خاص و مستقل از شدت بیماری فراهم می کند

### توصیه های خاص و جدید در خصوص عملکردهای بالینی

## **UpToDate**°

portal hypertension



Contents V Calculators Drug Interactions

What's New Practice Changing UpDates
Drug Information

Calculators Drug Interactions

ension

Graphic

Patient Education in adults. The causes of portal hypertension and the treatment of its etail elsewhere: Portal hypertension develops when ...

**Authors and Editors** 

**Topics by Specialty** 

### توصیه های خاص و جدید در خصوص عملکردهای بالینی



portal hypertension







### INTRODUCTION

OBSTETRICS, GYNECOLOGY AND WOMEN'S HEALTH (August 2019)

New ACOG guidelines for preventing early-onset group B streptococcus infection in newborns

HEMATOLOGY (December 2018, Modified August 2019)

### Practice Changing UpDates

Authors: H Nancy Sokol, MD, April F Eichler, MD, MPH

#### **Contributor Disclosures**


All topics are updated as new evidence becomes available and our peer review process is complete.

Literature review current through: Sep 2019. | This topic last updated: Sep 30, 2019.

### INTRODUCTION

This section highlights selected specific new recommendations and/or updates that

### کلیک روی تخصص مورد نظر



You have access to the entire UpToDate® library of specialties with your subscription. Click on one of the specialties below to see sections associated wit

Allergy and Immunology	Geriatrics	Pediatrics
Anesthesiology	Hematology	Primary Care (Adult)
Cardiovascular Medicine	Hospital Medicine	Primary Care Sports Medicine (Adolescents and Adults)
Dermatology	Infectious Diseases	Psychiatry
Emergency Medicine (Adult and Pediatric)	Nephrology and Hypertension	Pulmonary and Critical Care Medicine
Endocrinology and Diabetes	Neurology	Rheumatology
Family Medicine and General Practice	Obstetrics, Gynecology and Women's Health	•
-		Sleep Medicine

### فهرست تخصص ها

### **UpToDate**°

portal hypertension Q

Contents v	Calculators	Drug Interactions	
What's New		ension	
Practice Chai	nging UpDates	nt Graphics	
Drug Informat	tion		
Patient Education		n in adults. The causes of portal hypertension and the treatment of its etail elsewhere: Portal hypertension develops when	
Topics by Sp	ecialty	cisewierer ortal hypertension develops when in	
Authors and I	Editors		
,		ns en	

#### Noncirrhotic portal hypertension

...Idiopathic portal hypertension; Hepatoportal sclerosis; Incomplete septal cirrhosis; Obliterative portal venopathy; Benign intrahepatic portal hypertension; Idiopathic presinusoidal portal hypertension; Partial ...

#### Etiology

### **Patient Education**

✓ Up To Date بیش از هزاران مبحث آموزش به بیمار را در سطوح مختلف جهت پاسخگویی به نیازهای اطلاعاتی مختلف بیماران فراهم می کند.

√مطالب این بخش شامل تصاویر تمام رنگی، گرافیک نمودار جهت کمک به خواننده برای در ک وضعیت و مراقبت از خود می باشد.

 $\checkmark$ مباحث این قسمت در دو سطح به طور خاص برای بیماران ارائه می گردد.

### اطلاعات مخصوص بيمار



portal hypertension

Q

Contents V Calculators Drug Interactions

Showing results for portal hypertension

All Adult

Pediatric

Patient

**Graphics** 

#### Noncirrhotic portal hypertension

...Idiopathic portal hypertension; Hepatoportal sclerosis; Incomplete septal cirrhosis; Obliterative portal venopathy; Benign intrahepatic portal hypertension; Idiopathic presinusoidal portal hypertension; Partial ...

**Etiology** 

Differential diagnosis

**Summary and recommendations** 

#### Portal hypertension in adults

...diagnosis of portal hypertension in adults. The causes of portal hypertension and the treatment of its complications are discussed in detail elsewhere: Portal hypertension develops when ...

Treatment

### **فهرست موضوعات موجود در آموزش به بیمار**



To browse the available patient education topics in UpToDate, click on a category below.

Cancer

Allergies and asthma	Ear, nose, and throat	Lung disease
Arthritis	Eyes and vision	Men's health issues
Autoimmune disease	Gastrointestinal system	Mental health
Blood disorders	General health	Pregnancy and childbirth
Bones, joints, and muscles	Heart and blood vessel disease	Senior health
Brain and nerves	HIV and AIDS	Skin, hair, and nails

Sleen

Hormones

Welcome, Ministry of Health of Iran Log In


Search UpToDate Contents | Patient Education | What's New | Practice Changing UpDates | Calculators | Drug Interactions

Calculator: Cardiovascular risk assessment (10-year, general cardiovascular disease, men: Framingham, 2008 paper)

#### Calculator: Cardiovascular risk assessment (10-year, general cardiovascular disease, men: Framingham, 2008 paper)

Riskfactors = (In(Age) \* 3.06117) + (In(Totalcholesterol) \* 1.12370) - (In(HDLcholesterol) \* 0.93263) + (In(SystolicBP) \* SysBPfactor) + Cig + DM - 23.9802 Risk = 100 \* (1 - 0.88936<sup>e</sup><sup>(Riskfactors)</sup>

#### 



#### Notes

- . This risk assessment tool is based on the Cox regression model of proportional hazards.
- Cardiovascular disease includes coronary disease, cerebrovascular disease, peripheral vascular arterial disease, and heart failure.
- It may be applied to men who have had no prior history of cardiovascular disease.
- . BP: blood pressure; HDL: high-density lipoprotein.

## **Drug Interactions**

√بانک اطلاعات دارویی وسیع برای کمک به کاهش خطرات و افزایش ایمنی بیمار

√دارای قابلیت تحلیل تداخلات مابین دارو با دارو، گیاه دارویی با دارو و گیاه دارویی با گیاه دارویی می باشد

√داروها جداگانه جستجو شده با انتخاب گزینه Analyze دامنه میزان تداخل بین دو دارو نشان داده می شود

## دامنه میزان تداخلات تعریف شده برای داروها

- √ میزان خطر در مصرف همزمان در طیف A,B,C,D,و X تقسیم بندی می شوند:
  - ✓ کدA: نبود تداخل فارماکودینامیک و فارماکوکینتیک بین دو دارو
- ✓ کدB: نمایانگرامکان وجود واکنش در بین دو دارو است اما نیازی به تغییر یکی از داروها برای بیماروجود ندارد.
- $\checkmark$  کدC: بیانگر نیاز به دخالت در دوز مصرفی بیمار به هنگام مصرف همزمان دو دارو است. با توجه به وضعیت بیمار و فواید مصرف هم زمان دو دارو، در تعداد اند کی از بیماران و برای کاهش میزان عوارض باید در دوز مصرفی یک یا هر دو دارو هماهنگی برقرار شود.
- ✓ کدD: بیانگر تداخل دارویی بین دو دارو است.به گونه ای که با توجه به وضعیت بیمار، میزان فواید مصرف هم زمان دو دارو و خطرهای ناشی از آن مورد ارزیابی قرار می گیرد و نیاز به مشاهده دقیق وضعیت بیمار به هنگام مصرف، تغییر در دوز داروها با توجه به شرایط بالینی بیمار و جایگزینی داروهای معادل و جود دارد.
- ✓ کدX: بیانگر وجود تداخل در بین دو دارو است.در این شرایط میزان خطر ناشی از مصرف همزمان دو دارو بیشتر از فواید آن است و نباید دو دارو را با یکدیگر برای بیمار تجویز کرد.

## **Drug Interactions**

## UpToDate<sup>®</sup>

•

Contents v

**Calculators** 

**Drug Interactions** 




## **Drug Interactions**

Disclaimer: Use of this data solution is subject to the any applicable license agreement. Wolters Kluwer Clinical Drug Information makes reasonable efforts to publish accurate summary information in its solutions. But users are advised that these solutions are intended only to supplement — not substitute for or replace — the knowledge and judgment of healthcare professionals. The information is published based upon publicly available sources generally viewed as reliable in the healthcare community. Wolters Kluwer Clinical Drug Information does not engage in any independent review, testing or study of any medication, medical device, condition, illness, injury, test, procedure, treatment, or therapy in connection with publication of the information. The information is not intended to explicitly or implicitly endorse any particular medication, medical device, test, procedure, treatment, or therapy as safe or effective for any particular patient or health condition. Wolters Kluwer Clinical Drug Information assumes no responsibility or liability for errors or omissions of any kind in the information. Wolters Kluwer Clinical Drug Information expressly disclaims any liability for any loss or damage claimed to have resulted from the use of the information. By using this information, each such user of the information holds Wolters Kluwer Clinical Drug Information harmless from any such claims and indemnifies Wolters Kluwer Clinical Drug Information for any expenses incurred if any such claims are made. In no event shall Wolters Kluwer Clinical Drug Information be liable to any user or any third-party, including specifically any customer or patient of a user, for direct, special, indirect, incidental, or consequential damages. Wolters Kluwer Clinical Drug Information disclaims all warranties of any kind or nature, whether expressed or implied, including any warranty as to the quality, accuracy, comprehensiveness, currency, suitability, availability, compatibility, merchantability, and fitness for a particular purpose of the information.

App Version 1.1

Continue

## جهت تحلیل تداخل بین دو دارو، نام هردو دارو را تایپ و گزینه Analyze را کلیک نمایید.



Display complete list of interactions for an

# calculators : مجموعه جدول هایی برای محاسبه موارد مختلف در موضوعات پزشکی از پیش تعیین شده اند.

√اعداد مورد نظر خود را در قسمت inputوارد کرده و نتیجه را در سمت راست صفحه مشاهده نمایید.

## Thank you

